

VINYL FENCING & RAILING

ALUMINUM FENCING & RAILING

LED LIGHTING

**weatherables®**

# WORTH THE WEIGHT!

## A letter from the president:

When I first started in the vinyl fencing industry over 20 years ago, it was nearly impossible to tell one vinyl fence from the next. Every reputable manufacturer on the market used high quality, thick, heavyweight vinyl that was made to last a lifetime. However, like everything else over the years, others have gone to great lengths to make their products cheaper, primarily by using less vinyl. In turn, making the material thinner. At Weatherables, we still manufacture the same high quality, made in the USA, heavy duty vinyl fencing and railing that we did 20 years ago. In fact, our products can be up to 50% heavier/thicker than the competition. Since the thinner/lighter products look similar, it's easy to see why the difference in quality often goes unnoticed until after it's been installed. In the race to make the cheapest product on the market, we will gladly finish last.

When comparing the quality and durability of vinyl fencing, it's important to consider panel weight. The thicker/stronger the panel is, the more it will weigh. To see for yourself, compare the weight of our panels to our competitor's products side-by-side. You'll immediately notice the difference. We'll even send you FREE samples so you can see the difference for yourself!

At Weatherables®, our mission is to provide a Superior Customer Experience, and it is impossible to provide a superior customer experience without providing superior quality. We made a decision a long time ago to stand by our values and only offer strong, durable products that are guaranteed to last. We back that guarantee up with our lifetime warranty and product support. While almost everyone offers a lifetime warranty these days, the last thing you want is the added cost of having to replace your fencing or railing after it's been installed. We're confident that our products will never fail, due to defect, offering you the peace of mind that your new Weatherables fencing or railing will last a lifetime.

When it comes time to purchase your new vinyl fencing or railing, remember these two things:

- 1) At Weatherables, when we say heavy duty, we truly mean it!
- 2) The best products are always WORTH THE WEIGHT!

Sincerely,



Brad Halley  
President

THICKER VINYL =  HEAVIER WEIGHT = SUPERIOR DURABILITY

OUR BUSINESS HAS  
BUILT A REPUTATION  
FOR PROVIDING  
STRONG AND  
DURABLE PRODUCTS,  
OUTSTANDING VALUE  
AND SUPERIOR  
CUSTOMER SERVICE.

Our products are proudly  
made right here in the USA  
from heavy-duty, thick vinyl to  
provide unmatched strength and  
durability that is guaranteed to  
last a lifetime.


We take pride in manufacturing  
premium quality fencing and  
railing that we can stand behind  
and that are environmentally  
friendly.

All of our vinyl products are  
manufactured from 85%  
recycled materials and are 100%  
recyclable. They are also BPA  
free and free of toxic VOC stain  
and preservatives used to treat  
and maintain wood fencing.

At Weatherables®, we stand  
behind everything we make,  
and we'll be here for you  
before, during and after your  
purchase with our Limited  
Lifetime Warranty and lifetime  
implementation support.

## Fencing and railing that's built to last.

At Weatherables®, *the only thing stronger than our products is the service that comes with them.*™ We offer an extensive line of vinyl fencing and railing. Whether you're looking for a privacy, pool, picket or simply a horse fence, we're sure to have the perfect style to meet your individual needs. We also offer all of the accessories you'll need to truly customize your outdoor space.

Made from the thickest materials in the industry, our fencing and railing can be up to 50% stronger than the competition. The proof is in the numbers. Thicker material means a heavier, stronger product. Simply look for the  symbol throughout this brochure to compare the weight of any other panel on the market to one of our panels and you'll immediately see the Weatherables difference. We offer the strongest, most durable, low-maintenance vinyl fencing and railing anywhere.

Available in White, Tan, Khaki or Gray

White

Tan

Khaki

Gray

- All vinyl fencing and railing made in the USA
- Unique customization available
- High impact
- Low maintenance
- Thick, heavy-duty vinyl
- Won't chip, rot, crack or discolor
- Lifetime implementation support
- Limited Lifetime Warranty







# Privacy Fencing

The perfect backdrop to lush garden plants or lively backyard parties, our privacy fencing offers both seclusion and sophistication. Providing maximum privacy and requiring minimal maintenance, we offer a wide variety of styles from traditional to contemporary to complement virtually any architectural style. To ensure superior strength and durability, the bottom rail is reinforced with aluminum.

***All of our privacy fences 6 feet tall and below can be installed to withstand wind gusts of up to 130 mph.***

## Premium

Our Weatherables Premium style privacy fences feature a 6" picket with .060" tongue and groove.



### The Savannah®

Height: 4', 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
Color: ☐ ☐ ☐ ☐



### The Ashton™

Height: 5', 6', 7' & 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
Color: ☐ ☐ ☐



### The Largo™

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 13 7/8"  
Interlocking Privacy .060"  
Color: ☐



### The Clearwater™

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 13 7/8"  
Interlocking Privacy .060"  
Color: ☐



### The Mason®

Height: 5', 6', 7' & 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
(accents 7/8" x 1.5")  
Color: ☐ ☐ ☐




### The Augusta™

Height: 6', 7' & 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
Color: ☐ ☐ ☐ ☐



### The Halifax®

Height: 5', 6', 7' & 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
(accents 7/8" x 1.5")  
Color: ☐ ☐ ☐



### The Bradford™

Height: 5', 6', 7' & 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
(accents 3/4" round black aluminum)  
Color: ☐ ☐ ☐



### The Scottsdale™

Height: 5', 6', 7' & 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
Tongue & Groove .060"  
(accents 1.25" x 1.25")  
Color: ☐



## Classic

Our Weatherables Classic style privacy fences feature a wide-board 11.3" picket with .055" tongue and groove.



### The Pembroke™

Height: 4', 5', 6', 7', 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 11.3"  
Tongue & Groove .055"  
Color: ☐



### The Glenshire™

Height: 5', 6', 7', 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 11.3"  
Tongue & Groove .055"  
Color: ☐



### The Tuscany™

Height: 6', 7', 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 11.3"  
Tongue & Groove .055"  
(accents 3/4" round black aluminum)  
Color: ☐



### The Dora™

Height: 6', 7', 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 11.3"  
Tongue & Groove .055"  
(accents 7/8" x 1.5")  
Color: ☐



### The Calgary™

Height: 6', 7', 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 11.3"  
Tongue & Groove .055"  
(accents 7/8" x 1.5")  
Color: ☐



### The Gideon™

Height: 6', 7', 8'  
Width: 6' & 8'  
Picket Style: 7/8" x 11.3"  
Tongue & Groove .055"  
(accents 1.25" x 1.25")  
Color: ☐





# Picket Fencing

Our classic picket fencing can dramatically change the look of your yard, adding beauty and warmth to the landscape. From simple straight-top to decorative scalloped-top designs, you'll find a wide selection of styles to suit your tastes. Plus, with a Weatherables® fence, you are assured years of durable performance and maintenance-free satisfaction.

A simple solution that adds ornamental style to your landscape.



## The Plymouth™

Height: 3', 4' & 5'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
Picket Caps: Dogear or Spade (3" picket spacing)  
Bottom Rail: 1.5" x 5.5"  
Color: ☐ ☐ ☐



## The Hampshire™

Height: 3', 4' & 5'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
Picket Caps: Dogear or Spade (3" picket spacing)  
Bottom Rail: 1.5" x 5.5"  
Color: ☐ ☐ ☐



## The Chelsea™

Height: 3', 4' & 5'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
Picket Caps: Dogear or Spade (3" picket spacing)  
Bottom Rail: 2" x 3.5"  
Color: ☐ ☐ ☐



## The Ellington™

Height: 3', 4' & 5'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
Picket Caps: Dogear or Spade (3" picket spacing)  
Bottom Rail: 2" x 3.5"  
Color: ☐ ☐ ☐



## The Provincetown™

Height: 3', 4' & 5'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
Picket Caps: Dogear or Spade (1.7" picket spacing)  
Bottom Rail: 2" x 3.5"  
Color: ☐ ☐ ☐



## The Richmond™

Height: 3', 4' & 5'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
Picket Caps: Dogear or Spade (1.7" picket spacing)  
Bottom Rail: 2" x 3.5"  
Color: ☐ ☐ ☐



## The Monterey™

Height: 3' & 4'  
Width: 6' & 8'  
Picket Style: 1.5" x 1.5"  
Picket Caps: Spade (2" picket spacing)  
Bottom Rail: 2" x 6"  
Color: ☐



Picket Fencing continued on next page >>





## The Abbington™

Height: 3', 4' & 5'  
 Width: 6' & 8'  
 Picket Style: 7/8" x 1.5"  
 Picket Caps: Spade  
 (3.7" picket spacing)  
 Bottom Rail: 2" x 3.5"  
 Color: ☐ ☐ ☐



## The Stratford™

Height: 3', 4' & 5'  
 Width: 6' & 8'  
 Picket Style: 7/8" x 1.5"  
 Picket Caps: Spade  
 (3.7" picket spacing)  
 Bottom Rail: 2" x 3.5"  
 Color: ☐ ☐ ☐



## The Hartford™

Height: 3', 4' & 5'  
 Width: 6' & 8'  
 Picket Style: 7/8" x 1.5"  
 Picket Caps: Spade  
 (1.7" picket spacing)  
 Bottom Rail: 2" x 3.5"  
 Color: ☐ ☐ ☐



## The Barrington™

Height: 3', 4' & 5'  
 Width: 6' & 8'  
 Picket Style: 7/8" x 1.5"  
 Picket Caps: Spade  
 (1.7" picket spacing)  
 Bottom Rail: 2" x 3.5"  
 Color: ☐ ☐ ☐



## The Classic™

Height: 3' & 4'  
 Width: 6' & 8'  
 Picket Style: 1.5" x 1.5"  
 Picket Caps: Spade  
 (2" picket spacing)  
 Bottom Rail: 2" x 6"  
 Color: ☐



A photograph of a swimming pool with a white fence and trees in the background. The image is overlaid with a blue gradient. The text is white and bold.

# WEATHERABLES® POOL FENCING: OFFERING SAFETY AND PEACE OF MIND FOR YOUR FAMILY.

**FREE SHIPPING**

A MINIMUM ORDER APPLIES





## Pool Fencing

Surround your patio, pool or lawn with one of our eye-catching pool fences. These attractive designs add a sense of style to any landscape. While perfect around pools, our pool fencing also looks great in any area of your yard. Our exclusive manufacturing process ensures that all of our vinyl products are resistant to water and humidity for lasting beauty. Our pool style gates include self-closing hinges and a pool safety latch. Plus, the bottom rail is reinforced with aluminum to ensure superior strength.

A beautiful finish that always looks new and resists water and humidity.



### The Captiva™

Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3"  
(3.7" picket spacing)

Color: ☐ ☐ ☐

33 lb<sup>1</sup>



### The Neptune™

Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 1.5"  
(3.7" picket spacing)

Color: ☐ ☐ ☐

28 lb<sup>1</sup>



### The Crestview™

Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3"  
(1.7" picket spacing)

Color: ☐ ☐ ☐

40 lb<sup>1</sup>



### The Williamsport™

Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 1.5"  
(1.7" picket spacing)

Color: ☐ ☐ ☐

36 lb<sup>1</sup>



### The Atlantis™


Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3" &  
7/8" x 1.5" alternating  
(3.7" picket spacing)

Color: ☐ ☐ ☐

31 lb<sup>1</sup>



### The Sarasota™


Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3" &  
7/8" x 1.5" alternating  
(1.7" picket spacing)

Color: ☐ ☐ ☐

39 lb<sup>1</sup>



### The Hanover™

Height: 4' & 5' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3"  
(0.6" picket spacing)

Color: ☐ ☐ ☐

48 lb<sup>1</sup>

Color Options: White: ☐ Tan: ☐ Khaki: ☐

<sup>1</sup>Average weight noted is for a 4'x8' panel.





**FREE SHIPPING**  
A MINIMUM ORDER APPLIES





## Semi-Privacy Fencing

Our semi-privacy fencing offers just the right amount of seclusion for homeowners who want privacy without complete isolation. The pickets used in our semi-privacy fences slide through the routed rails for a true multi-dimensional look. The superior strength and durability of our fence are due in part to the fact that the bottom rail is reinforced with an aluminum insert.

Just the right amount of seclusion and style.



### The Huntington®

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
(7/8" picket spacing)  
Color: ☐ ☐ ☐



### The Davenport®

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
& 7/8" x 1.5" alternating  
(7/8" picket spacing)  
Color: ☐ ☐ ☐



### The Glendale™

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
(7/8" picket spacing)  
Color: ☐ ☐ ☐



### The Alden™

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 3"  
& 7/8" x 6" alternating  
(7/8" picket spacing)  
Color: ☐ ☐ ☐



### The Everglade™

Height: 6'  
Width: 8'  
Picket Style: 7/8" x 3"  
horizontal  
(0.9" picket spacing)  
Color: ☐



### The Meridian™

Height: 5' & 6'  
Width: 6' & 8'  
Picket Style: 7/8" x 6"  
(7/8" picket spacing)  
Color: ☐



Color Options: White: ☐ Tan: ☐ Khaki: ☐

<sup>1</sup>Average weight noted is for a 6'x8' panel.





# Horse Fencing

Our horse fencing provides a physical barrier that is visible and safe for horses and livestock. It defines property boundaries, adds value to your estate, is low maintenance and offers superior impact resistance. Choose from elegant styles of durable vinyl fencing paired with best-in-class customer service and lifetime implementation support.

Beautiful, durable and top-grade quality.



## 2 Rail

Post: 5" x 5" square post  
Post Length: 5' & 6'  
Rail Spacing: 11"  
Rail Size: 1.5" x 5.5"  
Color: ☐ ☐ ☐ ☐



## 3 Rail

Post: 5" x 5" square post  
Post Length: 6.5', 7' & 7.5'  
Rail Spacing: 11"  
Rail Size: 1.5" x 5.5"  
Color: ☐ ☐ ☐ ☐



## 4 Rail

Post: 5" x 5" square post  
Post Length: 7', 7.5' & 8'  
Rail Spacing: 9"  
Rail Size: 1.5" x 5.5"  
Color: ☐ ☐ ☐ ☐



## Cross Buck

Post: 5" x 5" square post  
Post Length: 7', 7.5' & 8'  
Rail Size: 1.5" x 5.5"  
Color: ☐



## 2-Rail Diamond Rail™

Post: 5" x 5" square post  
Post Length: 5' & 6'  
Rail Size: 3"x3"  
Rail Spacing: 11"  
Color: ☐  
(Matching gate unavailable)



## 3-Rail Diamond Rail™

Post: 5" x 5" square post  
Post Length: 5' & 6'  
Rail Size: 3"x3"  
Rail Spacing: 11"  
Color: ☐  
(Matching gate unavailable)



## Single Gate

Sizes: Up to 8' wide  
Hardware: Commercial grade stainless steel powder-coated black  
Color: ☐ ☐ ☐ ☐



## Double Gate

Sizes: Up to 16' wide, 2 gates, latch in the center  
Hardware: Commercial grade stainless steel powder-coated black; includes 2 drop rods  
Color: ☐ ☐ ☐ ☐

**Gates are available in kit form to match Weatherables® Horse Fencing.**

Weatherables® horse fence is sold by the linear foot.  
Please visit [weatherables.com](http://weatherables.com) or call (888) 743-3673 for pricing.



## Bottom Rail Reinforcement


Providing superior strength and durability.

Most of our fence styles come with an metal insert in the bottom rail to ensure maximum strength and lasting durability.

### Bottom Rail Reinforcements



Metal  
“I” Channel



Metal  
“H” Channel



## Fence Gates

Blending optimal function and long-term performance.

You'll find matching gates for all of our fences that are designed with function and long-term performance in mind. We use the best gate hardware in the industry. Manufactured with rust-free, high-tech engineered polymer and stainless steel components, our gate locks, latches and hinges have a limited lifetime warranty.



Our gate post inserts add extra strength and stability to your gate to ensure years of uninterrupted gate operation.



# Vinyl Fence Posts

Strong, durable and maintenance-free.

Manufactured from the highest grade materials, our fence posts are the strongest, most durable, low maintenance fence posts you'll find anywhere.



## Blank Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐



## End Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐



## Line Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐



## Corner Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐



## 3-Way Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐



## Gate End Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐  
(Metal insert included)



## Gate Blank Post

Post Width: 4" x 4" & 5" x 5"  
Post Height: 72", 84", 96",  
105", 120" & 140"  
Color: ☐ ☐ ☐ ☐  
(Metal insert included)



## Fast 2K

Size: 14.4 oz & 26 oz  
FAST 2K is a more convenient  
alternative to concrete for  
setting fence posts.

Note: Posts are custom routed to match each specific style of fence.  
For example, posts for the Augusta fence will have 3 route holes.



## U-mounts

Custom installation made easy.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

 White= W

 Tan= T

 Khaki= K



**1.5" x 5.5" U-mount**

AXBR-UMOUNT-1.5X5.5



**2" x 3.5" U-mount**

AXBR-UMOUNT-2X3.5



**2" x 6" U-mount**

AXBR-UMOUNT-2X6



Fasteners sold separately.

**1.5" x 5.5" External U-mount**

AXBR-UMOUNTTEXT-1.5X5.5


## Post Hole Covers

Providing a clean look to your finished project.



**1.5" x 5.5" Post Hole Cover**

AXCP-CVR-1.5X5.5



**2" x 3.5" Post Hole Cover**

AXCP-CVR-1.75X3.5



**Hinged Screw Cap**

AXCP-SCREWCAP

(fits a #10 pan head screw)




**Self Tapping Screw**

AMFA-SCREWTAP-1.0ss

## Mounts

Simplify your post installation.



**5" x 5" x 54" Concrete Mount**

AXPT-CMOUNT-5X54

(includes mounting hardware and post skirt)



**4" x 4" x 36" Concrete Mount**

AXPT-CMOUNT-4X36

(includes mounting hardware and post skirt- can extend to 42")

# WEATHERABLES® RAILING SYSTEMS: THE BEST CHOICE FOR STRENGTH AND DURABILITY

AVAILABLE IN A RANGE OF ATTRACTIVE COLORS

EASY TO MAINTAIN

FULLY CUSTOMIZABLE

IMPACT- AND WEATHER-RESISTANT

CODE COMPLIANT

**FREE SHIPPING**

A MINIMUM ORDER APPLIES

# Classic Vinyl Railing

The best choice for strong & durable railing.



## The Greenwich™

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .875" x 1.5" Rectangular Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

### Metal Inserts:

Top Rail Insert – included

Bottom Rail Insert – optional

Stair Rail–Top Rail Insert – included

Bottom Rail Insert – optional

IRC<sup>1</sup>

Brackets Included

## The Yorkshire™

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .875" x 1.5" Rectangular Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

### Metal Inserts:

Top Rail Insert – included

Bottom Rail Insert – optional

Stair Rail–Top Rail Insert – included

Bottom Rail Insert – optional

IRC<sup>1</sup>

Brackets Included



## The Bolton

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Black Round Aluminum

Rail Length: 4', 6' & 8'

Stair Rail Length: 6' & 8'

### Metal Inserts:

Top Rail Insert – included

Bottom Rail Insert – included

Stair Rail–Top Rail Insert – included

Bottom Rail Insert – included

IRC<sup>1</sup>

Brackets Included

*\*The brackets included with the classic stair railing are designed for angles of 28° to 42°.*

Color Options: White: ☐ Tan: ☐ Khaki: ☐

<sup>1</sup>Railing height noted is the installed height.



# Premium Vinyl Railing

Attractive designs manufactured from the highest quality vinyl, up to 50% stronger than other brands.



## The Berkshire™ Railing

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:


Top Rail Insert—included

Bottom Rail Insert—optional

Stair Rail—top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Washington™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert—included

Bottom Rail Insert—optional

Stair Rail—top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Burlington™ Railing

Color: ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Colonial Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert—included

Bottom Rail Insert—optional

Stair Rail—top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Addison™ Railing

Color: ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Colonial Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:


Top Rail Insert—included

Bottom Rail Insert—optional

Stair Rail—top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Birmingham™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Black Square Aluminum Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–included

Stair Rail–top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Wiltshire™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Black Round Aluminum Spindle

Length: 4', 6', 8' & 10' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–included

Stair Rail–top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Cheshire™ Railing

Color: ☐ ☐ ☐

Rail: T-Rail top rail & 2" x 3.5" bottom and mid rail

Railing Height: 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6', 8' & 10' straight

Aluminum Inserts:

Top Rail Insert–included

Bottom Rail Insert–optional

Stair Rail–N/A

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## Aluminum Insert (2" x 3.5" & T-Rail)

The aluminum inserts needed to meet testing requirements are included with each railing kit. Additional aluminum inserts are available for custom installations.

Size: 2" x 3.5" x 48"

Size: 2" x 3.5" x 72"

Size: 2" x 3.5" x 96"

Size: 2" x 3.5" x 120"

<sup>1</sup>The brackets included with the premium stair railing are designed for angles of 30° to 40°.

# Deck Board Railing

Our premium grade vinyl railing with a decorative top rail accent.



## The Bristol™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Square Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-optional

Stair Rail-top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included

## The Wakefield™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: 1.5" Colonial Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-optional

Stair Rail-top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



## The Lancaster™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Square Aluminum Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-included

Stair Rail-top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included

## The Derby™ Deck Board Railing

Deck board not included- match to your specific deck

Color: ☐ ☐ ☐

Rail: 2" x 3.5" top & bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .75" Round Aluminum Spindle

Length: 4', 6' & 8' straight; 6' & 8' stair

Aluminum Inserts:

Top Rail Insert-included

Bottom Rail Insert-included

Stair Rail-top & bottom rail inserts are included

IRC<sup>1</sup> & IBC<sup>1</sup>

Brackets Included



# Vinyl Railing Gates

Blending optimal function and long-term performance, with top-of-the-line hardware.



## .875" x 1.5" Rectangular Spindle

Style: Greenwich & Yorkshire

Color: ☐ ☐ ☐

Rail: 2" x 3.5" or T-Rail top rail

Height: 36" & 42" (bottom rail 2" from the ground)



## 1.5" Square Spindle

Style: Berkshire, Washington & Bristol

Color: ☐ ☐ ☐

Rail: 2" x 3.5" or T-Rail top rail

Height: 36" & 42" (bottom rail 2" from the ground)



## 1.5" Colonial Spindle

Style: Burlington, Addison & Wakefield

Color: ☐ ☐ ☐

Rail: 2" x 3.5" or T-Rail top rail

Height: 36" & 42" (bottom rail 2" from the ground)



## 1.5" Square Spindle

Style: Cheshire

Color: ☐ ☐ ☐

Rail: T-Rail top rail

Height: 42" (bottom rail 2" from the ground)



## .75" Square Aluminum Spindle

Style: Birmingham & Lancaster

Color: ☐ ☐ ☐

Rail: T-Rail top rail

Height: 36" & 42" (bottom rail 2" from the ground)



## .75" Round Aluminum Spindle

Style: Wiltshire, Derby & Bolton

Color: ☐ ☐ ☐

Rail: T-Rail top rail

Height: 36" & 42" (bottom rail 2" from the ground)

Gate kits include commercial grade polyvinyl hardware:



Key-lockable latch



Self-closing hinges

\*Gates are 60" wide but may be cut down to a custom size on site.

# Wraps

For use around new or existing wood posts.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

 White= W

 Tan= T

 Khaki= K



## Smooth Vinyl Post Wrap

Size: 4" x 4" x 96"– AXPT-WRAP-4X96

Size: 4" x 4" x 120"– AXPT-WRAP-4X120

Size: 6" x 6" x 96"– AXPT-WRAP-6X96

Size: 6" x 6" x 120"– AXPT-WRAP-6X120

\*Installed size is 0.25" larger than post wrap size

\*For use with Adjustable Post Skirt only



## Fluted Vinyl Post Wrap (White only)

Size: 4" x 4" x 102"– AWPT-WRAPFLUTELBP-4X102

Size: 4" x 4" x 120"– AWPT-WRAPFLUTELBP-4X120

Size: 6" x 6" x 102"– AWPT-WRAPFLUTELBP-6X102

Size: 6" x 6" x 120"– AWPT-WRAPFLUTELBP-6X120

Size: 8" x 8" x 102"– AWPT-WRAPFLUTELBP-8X102

Size: 8" x 8" base molding– AWPT-WRAPFLTRIM4PC-8

\*Installed size is 0.25" larger than post wrap size

\*For use with Adjustable Post Skirt only

# Wrap Skirts

Decorative trim at the base of each post provides a finished look.



## 4-Piece Adjustable Post Skirt

Size: ADJUSTABLE–AXPT-WRAPTRIM4PC-ADJ

\*Fits a 3", 3.5", 4", 5", 6" & 6.5" post

# Vinyl Sleeves

Attractive covers that fit over our post mounts.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

- ☐ White= W  
☐ Tan= T  
☐ Khaki= K



## Vinyl Blank Post Sleeve Kit

(Includes external post cap and post skirt)

Size: 4" x 4" x 39"–WXR-POSTKIT-4X39  
 Size: 4" x 4" x 45"–WXR-POSTKIT-4X45  
 Size: 4" x 4" x 54"–WXR-POSTKIT-4X54



## Vinyl Blank

Size: 4" x 4" x 39"–LXPT-BLANK-4X39  
 Size: 4" x 4" x 45"–LXPT-BLANK-4X45  
 Size: 4" x 4" x 72"–LXPT-BLANK-4X72  
 Size: 4" x 4" x 84"–LXPT-BLANK-4X84

\*More sizes available, and will fit over 4"x4" treated wood



## Vinyl Newel: Colonial

(White only)

Size: 4" x 4" x 48"–LWPT-NEWELCOL-4X48


# Mounts

Simplify your post installation.



## Railing Post Mount with Wood Fasteners

AMPT-HDMOUNTWD-4X36  
 AMPT-HDMOUNTWD-4X42



## Railing Post Mount with Concrete Fasteners

AMPT-HDMOUNTCC-4X36  
 AMPT-HDMOUNTCC-4X42




## General Mount

NOT FOR COMMERCIAL APPLICATION  
 (mounting hardware sold separately)  
 AMPT-GENMOUNT-4

# Sleeve Skirts

Decorative trim at the base of each post provides a finished look.



## Post Skirt

Size: 4" x 4"–AXPT-SKIRT-4  
 Size: 5" x 5"–AXPT-SKIRT-5  
 Size: 6" x 6"–AXPT-SKIRT-6

\*More sizes available



## 2-Piece Federation Post Skirt

Size: 4" x 4"–AXPT-SKIRT2PC-4  
 Size: 5" x 5"–AXPT-SKIRT2PC-5  
 Size: 6" x 6"–AXPT-SKIRT2PC-6

\*More sizes available




# Vinyl Columns

Supported by extruded aluminum for lightweight durability and superior strength.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

- ☐ White= W
- ☐ Tan= T
- ☐ Khaki= K




## Square Column

(White only)

**Size:** 8" x 8" x 96"  
LWPT-SQCOLKIT-8X96


**Size:** 8" x 8" x 120"  
LWPT-SQCOLKIT-8X120  
(tested load of 11,000 lb.)



## Round Straight Column

(White only)

**Size:** 8" x 8" x 108"  
LWPT-RNDSTCOLKIT-108  
(tested load of 18,000 lb.)



## Round Tapered Column

(White only)

**Size:** 8" x 8" x 108"  
LWPT-RNDTPCOLKIT-108

**Size:** 8" x 8" x 120"  
LWPT-RNDTPCOLKIT-120  
(tested load of 18,000 lb.)



## Colonial Structural

**Size:** 4" x 4" x 108"  
LXPT-PPCOL-4X108

**Size:** 5" x 5" x 108"  
LXPT-PPCOL-5X108  
(tested load of 11,000 lb.)



## Square Structural


**Size:** 4" x 4" x 108"  
LXPT-PPSQ-4X108

**Size:** 5" x 5" x 108"  
LXPT-PPSQ-5X108

**Size:** 6" x 6" x 108"  
LXPT-PPSQ-6X108  
(tested load of 11,000 lb.)

(Top & bottom skirts/trim kits are not included, but can be purchased separately)

## Trim Kits




## Square Column

AWPT-BASE&COLLAR-8X8



## Round Straight Column

AWPT-BASE&COLLAR-RNDST



## Round Tapered Column

AWPT-BASE&COLLAR-RNDTP

Use skirts on page 22 with the Colonial Structural and Square Structural columns.

# Secondary (ADA) Railing

All the parts you need for ADA-compliant installations.

Available in: White, Tan, Khaki & Black (unless noted) Replace the "X" in the model number with the selected color option:

☐ White= W  
☐ Tan= T  
☐ Khaki= K  
☐ Black= B



**104" Rail with Stiffener**

NXRA-ADARAIL-1.5X104



**Hand Rail Bracket Kit**

NXRA-ADARAILBRK-1.5



**Straight Wall Return Kit**

NXRA-ADASTRTN-1.5



**Bracket Wall Return Cover Plate (4/bag)**

NXRA-ADACVRPLT-1.5



**Post Return**

NXRA-ADAPTRTN-16.5X6



**End Loop**

NXRA-ADALOOP-18X12



**90° Wall Return Kit w/Joiner**

NXRA-ADAWALLJOIN-1.5



**90° Exterior Corner**

NXRA-ADACORNER-1.5



**90° Exterior Corner w/Joiner**

NXRA-ADACORNJOIN-1.5



**90° Interior Corner**

NXRA-ADACORNERINS-1.5



**Straight Joiner (4/bag)**

NMRA-ADASTJOIN-6



**Adjustable Joiner (4/bag)**

NMRA-ADAJJOINADJ-1.5



**Joint Ring (4/bag)**

NXRA-ADAJTRING-1.5



**Rail End Cap (4/bag)**

NXCP-ADARAILEND-1.5



**External Adjustable Joiner with Male Ends and Joint Rings**

NXRA-ADAEXADJJOIN-1.5

All parts shown are available in both residential & commercial grade. Residential grade shown.

# Classic Brackets

Secure, sturdy brackets for Greenwich, Yorkshire and Bolton railing.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

- ☐ White= W
- ☐ Tan= T
- ☐ Khaki= K




**2" x 3.5" 1-Piece Straight Kit**

AXBR-CVSTRGHTKIT-2X3.5



**2" x 3.5" 1-Piece Stair Kit**

AXBR-CVSTAIRKIT-2X3.5



**T-Rail & 2" x 3.5" 1-Piece Straight Kit**

AXBR-CVSTRGHTKIT-TRAIL



**T-Rail & 2" x 3.5" 1-Piece Stair Kit**

AXBR-CVSTAIRKIT-TRAIL

*\*Classic stair rail brackets are designed for angles of 28° to 42°.*

This row of adapters fit only the brackets above.



**8" Column Classic Bracket Adapter**

AXBR-CVCOLADAPTER-8



**8" Column Classic Stair Bracket Adapter**

AXBR-CVCOLSTAIRADP-8



# Premium Brackets


Dependable accessories for our premium line of railing.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

White= W


Tan= T

Khaki= K




**2" x 3.5" 2-Piece Straight Kit**

AXBR-2PCSTRGHTKIT-2X3.5




**2" x 3.5" 2-Piece Stair Kit**

AXBR-STAIRKIT-2X3.5



**T-Rail & 2" x 3.5" 2-Piece Straight Kit**

AXBR-STRGHTKIT-TRAIL



**T-Rail & 2" x 3.5" 2-Piece Stair Kit**

AXBR-2PCSTRGHTKIT-TRAIL

*\*Premium stair rail brackets are designed for angles of 30° to 40°.*



This adapter only fits the brackets above.

**8" Column Premium Straight + Stair Bracket Adapter**

AXBR-COLSTAIRADP-8



**Deck Board Clips**

AMBR-DECKCLIP-KIT

**Deck Board Stair Bracket Set**

AXBR-STAIRSETDB-2X3.5

# Classic and Premium Brackets

Universal accessories offer ultimate versatility.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

White= W

Tan= T

Khaki= K



## 2" x 3.5" Adjustable Straight Kit

AXBR-WIZANGLE-2X3.5



## T-Rail & 2" x 3.5" Adjustable Straight Kit

AXBR-WIZANGLE-TRAIL



## 2" x 3.5" Adjustable Stair Kit

AXBR-WIZSTAIR-2X3.5



## T-Rail & 2" x 3.5" Adjustable Stair Kit

AXBR-WIZSTAIR-TRAIL

*\*Brackets above are designed for angles of 15° to 45°.*



## T-Rail Field Cut Bracket

AXBR-FIELD-TRAIL



## 2" x 3.5" Field Cut Bracket

AXBR-FIELD-2X3.5



## 45° Classic Bracket T-Rail Adapter

AXBR-CV45ADAPTER-TRAIL




## 45° Classic Bracket 2" x 3.5" Adapter

AXBR-CV45ADAPTER-2X3.5

*\*Brackets above accommodate a vertical or horizontal custom angle.*

# Foot Blocks

For added strength when splitting a rail section.



## Premium Foot Block

AXRA-FOOTBLOCK-1.5



## Classic Foot Block

AXRA-CVFOOTBLOCK-1.5X1.5X8





# **WEATHERABLES® ALUMINUM FENCING & RAILING:**

**LOW MAINTENANCE**

**PREMIUM QUALITY & DURABILITY**

**IMPACT- AND WEATHER-RESISTANT**

**LIMITED LIFETIME WARRANTY**

**FREE SHIPPING**

**A MINIMUM ORDER APPLIES**



# Aluminum Fencing

A classy yet low-maintenance, economical fencing option.

Manufactured from the best aluminum in the industry, our aluminum fencing offers strength and security plus it looks great! Proven not to rust or corrode, aluminum fencing is the perfect addition to your yard.



## The Mansfield Aluminum Fencing

Height: 4' & 5'  
Width: 6'  
Gate Width: Single 4', 5' Double 8' & 10'  
Picket Style: Flat top  
Color: 



## The Toledo Aluminum Fencing


Height: 4' & 5'  
Width: 6'  
Gate Width: Single 4', 5' Double 8' & 10'  
Picket Style: Alternating spear flat top  
Color: 




## The Terrier Aluminum Fence

Height: 4'  
Width: 6'  
Gate Width: Single: 4' Double: 8'  
Picket Style: Flat top  
Color: 

## The Pacific Aluminum Fencing

Height: 4.5'  
Width: 6'  
Gate Width: Single 4', 5' Double 8' & 10'  
Picket Style: Flat top & flush bottom  
Color: 

## The Atlantic Aluminum Fencing

Height: 4'  
Width: 6'  
Gate Width: Single 4', 5' Double 8' & 10'  
Picket Style: Flat top & flush bottom  
Color: 

# Aluminum Fencing Accessories

Expand your options with our matching fittings.

Black in stock. Additional colors available by special order.



**Residential Straight Rail End Bracket**

1" side wall  
(Includes 3 #8-1" screws)



**Commercial Straight Rail End Bracket for Atlantic**


1.5" side wall  
(Includes 3 #8-1" screws)



**Swivel Rail Bracket**  
(Includes 3 #8-1" screws)



**Floor Flange**  
(fasteners not included)



**Touch Up Paint**



**Screws**  
#10-1" screws



**End Post**



**Line Post**



**Corner Post**



**Gate End Post**






**Gate Blank Post**



# Aluminum Railing

An economical alternative to traditional wrought iron.

Offering a sleek, clean look, our premium quality aluminum railing is manufactured from the best aluminum in the industry. No matter what Mother Nature decides to throw at it, it will not cause excessive corrosion or rust.



## The Stanford Aluminum Railing

Color: Textured Black, Textured White

Rail: Bread-loaf molded top rail & 1.25" x 1.375" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Spindle Style: .60" Square Spindles

Length: 6' & 8' straight; 6' & 8' stair

IRC<sup>2</sup> & IBC<sup>2</sup>

Brackets Included

(Stair brackets are designed for angles of 32° to 36°)

## The Arlington Aluminum Railing

Color: Textured Black

Rail: Bread-loaf molded top rail & 1.5" x 1.25" bottom rail

Railing Height: 36" & 42" (bottom rail 2" from the ground)

Gate Width: 60"

Spindle Style: .75" Square Spindles

Length: 6', 8' & 10' straight; 6' & 8' stair

IRC<sup>3</sup> & IBC<sup>3</sup>

Brackets Included

*\*Railing height noted is the installed height.*

**"THE QUALITY OF THE PRODUCTS IS EXCELLENT AND IT WAS VERY EASY TO INSTALL. OUR STANFORD RAILING LOOKS GREAT AND IS VERY STURDY. YOUR CUSTOMER SERVICE PEOPLE WERE PROFESSIONAL AND VERY FRIENDLY. I APPRECIATED THE GREAT SERVICE AND QUICK SHIPPING."**

**- RANDY S.  
COLUMBUS, OH**



# Aluminum Railing Accessories

Expand your options with our matching fittings.



## Stanford Aluminum Railing Post Kit

Includes post cap, 1-piece post skirt and base flange (fasteners not included).

Size: 2.5" x 2.5" x 39"  
2.5" x 2.5" x 45"  
2.5" x 2.5" x 54"



## Stanford Aluminum Railing Straight Brackets

(includes fasteners and foot block)



## Stanford Aluminum Railing Stair Brackets

(includes fasteners)



## Stanford Aluminum Railing Adjustable Brackets

(adjust vertically & horizontally and includes fasteners)



## Arlington Aluminum Railing Post Kit

Includes post cap, 2-piece post skirt and base flange (fasteners not included).

Size: 3" x 3" x 39"  
3" x 3" x 45"  
3" x 3" x 54"



## Arlington Aluminum Railing Straight Brackets

(includes fasteners and foot block)



## Arlington Aluminum Railing Universal Brackets

(includes fasteners)

# Secondary (ADA) Aluminum Railing



## Wall Return Aluminum Railing

Rail: 1.5" diameter  
Length: 4', 6' or 8'  
Attachment: (2) 90-degree wall returns, 8' includes additional middle mount  
Hardware: Wall mounts with wood fasteners  
Color: ☐ ☒



## Straight Aluminum Railing

Rail: 1.5" diameter  
Length: 4', 6' or 8'  
Attachment: (2) wall mounts, 8' includes additional middle mount  
Hardware: Wall mounts with wood fasteners  
Color: ☐ ☒



# LIGHT UP YOUR OUTDOOR SPACE WITH LED LIGHTING FROM WEATHERABLES®

EASY TO INSTALL

DURABLE & BEAUTIFUL

SOLAR AND PLUG & PLAY OPTIONS

# Solar Post Caps

Enhance your look with architectural details and lighting.



**Cape May Solar LED**

Size: 4", 5" & 6"

Color: ☐ ☐ ☐



**Cape May Downward Solar LED**

Size: 4" & 5"


Color: ☐ ☐ ☐



**Classic Solar LED**

Size: 3.5", 4" & 5"

Color: ☐ ☐ ☐



**Neptune Solar LED**

Size: 4", 5" & 6"

Color: ☐ ☐ ☐



**Neptune Downward Solar LED**

Size: 4" & 5"

Color: ☐ ☐ ☐



**Galaxy Solar LED**

Size: 3.5", 4" & 5"

Color: ☐ ☐ ☐



**Cambridge Solar LED**

Size: 4", 5" & 6"

Color: ☐ ☐ ☐



**Ornamental Lens Solar LED**

Size: 2.5" & 3"

Color: Textured Black & Textured White



**Ornamental Downward Solar LED**

Size: 2.5" & 3"

Color: Textured Black & Textured White



# LED Low Voltage Post Caps

Enhance your look with architectural details and lighting.

(All low-voltage LED post caps work with power supplies and wiring harnesses on page 38)



**Cape May Low Voltage LED**

Size: 4" & 5"

Color: ☐ ☐ ☐



**Cape May Downward Low Voltage LED**

Size: 4" & 5"

Color: ☐ ☐ ☐



**Haven Low Voltage LED**

Size: 4" & 5"

Color: ☐ ☐ ☐



Starter packs include 6 caps, wiring & a low voltage adapter.



**Cape May Low Voltage LED Starter Pack**

**Cape May Downward Low Voltage LED Starter Pack**

**Haven Low Voltage LED Starter Pack**




Expansion packs include 1 cap & wiring



**Cape May Low Voltage LED Expansion Pack**

**Cape May Downward Low Voltage LED Expansion Pack**


**Haven Low Voltage LED Expansion Pack**



**Ornamental Combination Low Voltage LED**

Size: 2.5" & 3"

Color: ☐ ☐



**Ornamental Downward Low Voltage LED**

Size: 2.5" & 3"

Color: ☐ ☐



**Ornamental Lens Low Voltage LED**

Size: 2.5" & 3"

Color: ☐ ☐



**Haven Downward Low Voltage LED**

Size: 4" & 5"  
Color: ☐ ☐ ☐



Starter packs include 6 caps, wiring & a low voltage adapter.



**Neptune Low Voltage LED**

Size: 4" & 5"  
Color: ☐ ☐ ☐



**Neptune Downward Low Voltage LED**

Size: 4" & 5"  
Color: ☐ ☐ ☐



**Haven Downward Low Voltage LED Starter Pack**



Expansion packs include 1 cap & wiring

**Neptune Low Voltage LED Starter Pack**



**Neptune Downward Low Voltage LED Starter Pack**



**Haven Downward Low Voltage LED Expansion Pack**

**Neptune Low Voltage LED Expansion Pack**

**Neptune Downward Low Voltage LED Expansion Pack**

## Lighting Accessories

Add ambiance to your outdoor space with easy to install lighting.



### LED Under Rail Light Strip

Size: 68" & 92"

Color: ☐ ☐ ☐ ☐



### 3" LED Under Rail Light

Size: 3" with 10" lead wire

Color: ☐ ☐ ☐ ☐



### LED Dome Side Light

Size: 2.75" x 1.344"

9" lead wire

Color: ☐ ☐ ☐ ☐



### LED Flush Deck Light—Frosted Acrylic

Size: .955" (diameter) x .685" (depth) 9" lead wire



### LED Stair/Side Light with Covers

Size: 1.130" x 3.223"

Color: ☐ ☐ ☐ ☐



### Ornamental Low Voltage Side Light

Size: 1.5"

Color: ☐ ☐

## Power Supply and Wiring Harnesses

(Works with the low voltage LED lights above and with the low voltage LED post caps on page 36 & 37)



### 50 Watt Power Supply with Photo Eye, Timer and Remote



### 12 Watt Power Supply with Photo Eye



### 12 Watt Dimmer Switch

(includes remote control)



### 2' Harness Connector



### 5' Harness Connector



### 7' Harness Connector



### 9' Harness Connector



### 5 Output Splitter



### 2 Output Splitter



# Traditional Post Caps

Enhance your look with architectural detail and style.



## External

Size: 3", 3.5", 4", 5", 6" & 6.5"  
(6.5" only available in white)  
Color: ☐ ☐ ☐ ☐



## Internal

Size: 4" & 5"  
Color: ☐ ☐ ☐



## Gothic

Size: 3.5", 4" & 5"  
Color: ☐ ☐ ☐



## Ball

Size: 4" & 5"  
Color: ☐ ☐ ☐



## Federation

Size: 4", 5" & 6"  
Color: ☐ ☐ ☐



## Cape May

Size: 4", 5" & 6"  
Color: ☐ ☐ ☐




## New England

Size: 4", 5", 6" & 6.5"  
(6.5" only available in white)  
Color: ☐ ☐ ☐ ☐



## Neptune

Size: 4", 5" & 6"  
Color: ☐ ☐ ☐



## Haven

Size: 4", 5" & 6"  
Color: ☐ ☐ ☐



## Coachman

Size: 5"  
Color: ☐



## Horse Head

Size: 5"  
Color: ☐ ☐ ☐



## Ornamental

Size: 2.5", 3", 4" (4"- Black only)  
Color: ☐ ☐

- \*1 - Straight Railing is tested in accordance with ICC-ES Standards - Report ESR-4954
- \*2 - Straight Railing is tested in accordance with ASTM D70032 Standards - PEI Report 6414
- \*3 - Straight Railing is tested in accordance with ICC-ES Standards - Intertek Report 200115007SHF & 200115007SHF

# weatherables®

WSR-WEAFULL-2022

Purchaser has the sole responsibility to determine whether Weatherables® products comply with applicable codes and are appropriate for the intended use. The purchaser and installer should review the intended use of the products with a licensed professional engineer to determine code compliance and the intended use.



Weatherables® is a federally registered trademark of USA Vinyl, LLC. ©2022 USA Vinyl, LLC.